

FIGURE 1




FIGURE 2a




FIGURE 2b

404737 654500




FIGURE 3




FIGURE 4




FIGURE 5

FOUO 2025-02-27




FIGURE 6




FIGURE 7




FIGURE 8

For use in the field




FIGURE 9




FIGURE 10

A 3D bar chart illustrating the percentage of aphids on leaves over time (Days After Treatment) for various treatments. The Y-axis represents the percentage of aphids (0 to 25%). The X-axis represents Days After Treatment (0, 6, 12). The Z-axis represents the treatments: Pretreatment, Azadiractin (1 qt), DR-A-034 (2 qt), Fulfill (77 g), Lannate (454 g), and Admire (170 g). The chart shows that the percentage of aphids generally increases over time, with the highest values observed in the Pretreatment group at 12 DAT (approx. 25%).

Treatment	0 DAT	6 DAT	12 DAT
Pretreatment	~1.5%	~9.5%	~25.0%
Azadiractin (1 qt)	~0.5%	~4.5%	~11.5%
DR-A-034 (2 qt)	~0.5%	~14.5%	~14.0%
Fulfill (77 g)	~0.5%	~7.5%	~12.0%
Lannate (454 g)	~0.5%	~8.0%	~15.0%
Admire (170 g)	~0.5%	~4.0%	~8.0%

FIGURE 11




FIGURE 12